



10. Which of the following is used to fix drawing sheet on the drawing board?
a) Pins
b) Thumb Nails
c) Clips
d) All of these
11. Normally, wooden drawing pencils are _____ in cross section.
a) Round
b) Triangle
c) Square
d) Hexagon
12. Which of the following edges of wood pencil is used for straight line?
a) Cylindrical
b) Conical
c) Chisel
d) Bevel
13. Horizontal line is a line drawn parallel to the surface of –
a) Plumb boel
b) Earth
c) Inclined plane
d) Still water
14. The drawing sheet is so folded that _____ is always on the top.
a) Side
b) Back side
c) Title block
d) None of these
15. Writing of titles, notes, etc. on a drawing is called –
a) Lettering
b) Printing
c) Gothic lettering
d) None of these
16. 420 x 594 (w x l) mm size drawing sheet is designated as _____ in Engg. Drawing.
a) A₀
b) A₂
c) A₃
d) A₄
17. The _____ line should be terminated with a dot or an arrow head.
a) Centre line
b) Leader line
c) Cutting plane
d) Hidden Edges
18. In inclined lettering, the stem is inclined _____ to the left.
a) 15°
b) 35°
c) 45°
d) 75°
19. The size of the letter is described by its –
a) Width
b) Height
c) Thickness
d) None of these
20. As per recommendations of IS: 11665- 1985, the LHS side margin line of a drawing sheet for class work should be kept as _____ mm
a) 5 mm
b) 10 mm
c) 15 mm
d) 20 mm

Contd...3/-

21. In engineering drawing, distance on drawing / distance on object can be defined as ____.
- a) Representation Factor
 - b) Representative Fraction
 - c) Representation Fraction
 - d) None of these
22. _____ is generally used to show areas of sections.
- a) Hatching
 - b) Shading
 - c) Dimensioning
 - d) None of these
23. A scale where the ratio is larger than 1: 1. It is said to be _____.
- a) Full scale
 - b) Reducing scale
 - c) Enlarged scale
 - d) None of these
24. The spacing between the section lines should be –
- a) 1-2 mm
 - b) 2-3 mm
 - c) 3-4 mm
 - d) 4-5 mm
25. The section lines are equally spaced _____ lines.
- a) Thick
 - b) Thin
 - c) Medium
 - d) Dotted
