17/B/C/S-2/2/NE

TIME: 3 HRS.



Booklet Series - A



PAPER –I COMPUTER OPERATOR AND PROGRAMMING ASSISTANT (THEORY) SEMESTER – II

MARKS: 30

Note: Attempt all the questions.

All questions carry equal marks.

This paper carries negative marking. 25 % marks will be deducted for each wrong answer.

	answer.	mig. 25 % marks will be deducted for each wrong		
Cho	ose the correct answers:			
1.	What does NaN stands for?			
	(a) Natural Number	(b) Not a Number		
	(c) Numeric Number	(d) None of these		
2.	java script is also called client-side java script.			
	(a) Microsoft	(b) Navigator		
	(c) Live wire	(d) Native		
	(c) Dive wife	(d) Ivalive		
3.	java script is also called server-side java script.			
	(a) Microsoft	(b) Navigator		
	(c) Live wire	(d) Native		
4.	A compiler is a			
	(a) A hardware component	(b) An application program		
	(c) A system software	(d) None of these		
		(3) 110110 01 41000		
5.	Why so java script and java have similar name?			
	(a) Java script is a stripped-down ve	ersion of java		
	(b) Java script's syntax is loosely based on java's			
	(c) They both originated on the islan	ad of java		
	(d) None of these			
6.	What is the correct java script synta	x to write "Hello World"?		
	(a) System.out.println ("Hello World")			
	(b) println ("Hello World")			
	(c) document.write ("Hello World")			
	(d) respose.write ("Hello World")			
7.	Java script is interpreted by			
	(a) Client	(b) Server		
	(c) Object	(d) None of these		
	(-) 00,000	(a) Home of mese		
3.	Using statement is how you test for a specific condition.			
	(a) Select	(b) If		
	(c) Switch	(d) For		

Contd....2/-



17/B/C/S-2/2/NE

-2-

Booklet Series - A

(096/242)

9.	The method of an array object adds and/or removes elements from an array.		
	(a) Reverse	(b) Shift	
	(c) Slice	(d) Splice	
10.	Java script entities start with an	d end with	
	(a) Semicolon, colon	(b) Semicolon, ampersand	
	(c) Ampersand, colon	(d) Ampersand, semicolon	
11.	Inside which HTML element do we put the java script?		
	(a) <js></js>	(b) <scripting></scripting>	
	(c) <script></td><td>(d) <javascript></td></tr><tr><td>12.</td><td>An object oriented language supports</td><td></td></tr><tr><td>12.</td><td>(a) Inheritance</td><td>(b) Polymorphism</td></tr><tr><td></td><td>(c) Data abstraction</td><td>(d) All of these</td></tr><tr><td></td><td>(-)</td><td>(d) The or those</td></tr><tr><td>13.</td><td>The nucleus of OOP is/are</td><td></td></tr><tr><td></td><td>(a) Class</td><td>(b) Objects</td></tr><tr><td></td><td>(c) Both (a) & (b)</td><td>(d) None of these</td></tr><tr><th>14.</th><th>What are the data types in OOP?</th><th></th></tr><tr><td></td><td>(a) Simple data type</td><td>(b) Standard data type</td></tr><tr><td></td><td>(c) Pointer data type</td><td>(d) All of these</td></tr><tr><td>15.</td><td>In Commence and the first transfer and the first transfer and the first transfer and transfer an</td><td></td></tr><tr><td>13.</td><td>In C, syntax errors can be found by(a) Complier</td><td></td></tr><tr><td></td><td>(c) Linker</td><td>(b) Loader</td></tr><tr><td></td><td>(c) Ellikei</td><td>(d) Operating system</td></tr><tr><td>16.</td><td>Tally package is developed by</td><td></td></tr><tr><td></td><td>(a) Peutronics</td><td>(b) Tally solutions</td></tr><tr><td></td><td>(c) Coral software</td><td>(d) Vedika software</td></tr><tr><td>17.</td><td>In tally, part account can be created through</td><td></td></tr><tr><td>17.</td><td>(a) Group creation window</td><td>(b) Ledger creation window</td></tr><tr><td></td><td>(c) Inventory creation window</td><td>(d) New creation window</td></tr><tr><th></th><th>(c) miles will will will will will will will wil</th><th>(d) New eleation whidow</th></tr><tr><td>18.</td><td>In general, the financial year shall be from -</td><td></td></tr><tr><td></td><td>(a) 1st April of any year</td><td>(b) 1st January of any year</td></tr><tr><td></td><td>(c) 31st March of any year</td><td>(d) 31st December of any year</td></tr><tr><td>19.</td><td>What is the utility of Tally vault password?</td><td></td></tr><tr><td></td><td>(a) It will lock the period of company</td><td></td></tr><tr><td></td><td colspan=3>(b) It will lock all vouchers entry for that company</td></tr><tr><td></td><td colspan=3>(c) It will not show the company name in company select list</td></tr><tr><td></td><td>(d) None of these</td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table></script>		

Contd....3/-



17/B/C/S-2/2/NE

-3-

Booklet Series - A

(096/242)

20.	In Tally, we can show bill wise details of can also be a sill by bill (c) Maintain reference	debtors & creditors by activating (b) Maintain bill wise details (d) None of these	
21.	Suspense account group is defined under _ (a) Income (c) Liabilities	(b) Expenditure (d) Assets	
22.	To activate MRP feature from gateway of (a) F11 (c) F9	Tally, initially we need to press (b) F12 (d) F8	
23.	To activate job costing, which option is rec (a) Maintain cost centre (c) Both (a) & (b)	quired to be activated? (b) Use cost centre for job costing (d) None of these	
24.	Which products are people most likely to b (a) Books (c) Movies	the more uncomfortable buying on the internet? (b) Furniture (d) All of these	
25.	Which is a function of E-commerce - (a) Marketing (c) Warehousing	(b) Advertising (d) All of these	
26.	The pillars of computer security is/are - (a) Confidentiality (c) Availability	(b) Integrity (d) All of these	
27.	In E-commerce, which is not an interface po (a) B2B (c) C4B	erspective? (b) B2C (d) C2C	
28.	SSL stands for (a) Secure socket layer (c) Special secure layer	(b) Social secure layer(d) Super secure layer	
29.	When following piece of code is executed, what happens? $b = 3;$ $a = b++;$		
20	(a) a contains 3 and b contains 4 (c) a contains 4 and b contains 3	(b) a contains 4 and b contains 4(d) a contains 3 and b contains 3	
30.	Which was the first web browser? (a) Worlwideweb (c) Internet explorer	(b) Netscape navigator(d) Safari	

